

Amendments to the Claims

1. (Currently amended) A toothbrush container for enclosing a dentifrice dispensing
5 toothbrush comprising:
- a. a vent-tubing having ~~[[an]]~~ a cylindrical circular annular wall having a symmetry plane
with a top opening edge and a bottom end, said cylindrical circular annular wall having two
opposing vent holes positioned on the symmetry plane of said annular wall at a first distance
from the top opening edge;
- 10 b. a top vent-cap mounted on the top opening edge of said vent-tubing, said top vent-cap
having a first cylindrical circular annular side wall having a symmetry plane with an opening
edge and a closed wall, said first cylindrical circular annular side wall having two opposing
vent holes being located at the same first distance from the enclosed wall such that said top
vent-cap being selectively positioned with its opposing vent holes in matching with the two
15 opposing vent holes of said vent-tubing and selectively positioned on the symmetry plane of
said annular side wall in closing the two opposing vent holes of said vent-tubing by twisting
of said top vent-cap.
2. (Currently amended) A toothbrush container of Claim 1 wherein the bottom end of
said cylindrical circular annular wall of vent-tubing having a bottom opening edge and said
20 cylindrical circular annular wall having two opposing vent holes being located at a second
distance from the bottom opening edge and the bottom opening edge being mounted with a
bottom vent-cap, said bottom vent-cap having a first cylindrical circular annular side wall
with an opening edge and an closed wall, said first cylindrical circular annular side wall
having two opposing vent holes being located at the same second distance from the closed
25 wall such that said bottom vent-cap being selectively positioned with its opposing vent holes

in matching with the two opposing vent holes of said vent-tubing by twisting of said bottom vent-cap.

3. (Currently amended) A toothbrush container of Claim 1 wherein said top vent-cap having second cylindrical circular annular side wall, said second cylindrical circular annular side wall being concentric to said first cylindrical circular annular side wall with a gap between said two cylindrical circular annular walls for inserting ~~[[the]]~~ said cylindrical circular annular wall of said vent-tubing, said cylindrical circular second annular wall having two opposing vent holes with their centers aligned with centers of the opposing vent holes of ~~[[the]]~~ said first cylindrical circular annular wall.

10 4. (Original) A toothbrush container of Claim 1 wherein said top vent-cap being a combination vent-cap having an upper wall extended from said first annular side wall forming a dental floss dispenser housing having a chamber with a hinged housing cover for enclosing a spool of dental floss in said chamber, and said upper wall including a cutter support wall mounted with a first cutter blade, and said housing cover including a hinged
15 cutter lid, said cutter lid being mounted with a second cutter blade aligned at a cutting position with respect to the first cutter blade for severing a dental floss strain placed between the first and the second cutter blades when said cutter lid being closing on said cutter support wall.

5. (Original) A toothbrush container of Claim 4 wherein said combination vent-cap
20 having a second annular side wall, said second annular side wall being concentric to said first annular side wall with a gap between said two annular side walls for inserting the annular wall of said vent-tubing, said second annular side wall having two opposing vent holes with their centers aligned with centers of the opposing vent holes of the first annular side wall.

6. (Original) A toothbrush container of Claim 1 wherein said top vent-cap being a combination vent-cap having an upper wall extended from said first annular side wall forming a dental floss dispenser housing having a chamber with a hinged housing cover for enclosing a spool of dental floss in said chamber, and said extended side wall including a
5 cutter support wall mounted with a cutter blade assembly.

7. (Original) A toothbrush container of Claim 6 wherein the cutter blade assembly including a blade element and a mounting base, said blade element and the mounting base forming a V-shape bent for lodging a strand of dental floss for manual severing of a dental floss strand.

10 8. (Original) A toothbrush container of Claim 2 wherein said top vent-cap being a combination vent-cap having an upper wall extended from said first annular side wall forming a dental floss dispenser housing having a chamber with a hinged housing cover for enclosing a spool of dental floss in said chamber, and said extended side wall including a cutter support wall mounted with a cutter blade assembly.

15 9. (Original) A toothbrush container of Claim 8 wherein said cutter blade assembly including a blade element and a mounting base, said blade element and the mounting base forming a V-shape bent for lodging a strand of dental floss for manual severing of a dental floss strand.

10. (Original) A toothbrush container of Claim 8 wherein said combination vent-cap
20 having second annular side wall, said second annular side wall being concentric to said first annular side wall with a gap between said two annular walls for inserting said annular wall of said vent-tubing, said second annular wall having two opposing vent holes with centers of vent holes aligned with centers of the opposing vent holes of the first annular wall.

11. (Original) A toothbrush container of Claim 10 wherein the cutter blade assembly including a blade element and a mounting base, said blade element and the mounting base forming a V-shape bent for lodging a strand of dental floss for manual severing of a dental floss strand.

5

(Next Page)